ASMAR WOOD FLOORING AGT LAMINATE FLOORING


NOTABLE FEATURES

- Antistatic
- Antibacterial
- Fast and easy assembly
- Environmentally friendly
- Abrasion Resistant
- Suitable for underfloor heating
- Easily cleaned, maintained and hygienic
- Resistant to UV rays
- Stain resistant
- Suitable for food contact

DIMENSIONS



WxLxH 0.8cm x 120cm x 19.1cm // 1cm x 119.5cm x 32.5cm



ABOUT

AGT Laminate Flooring, which achieves harmony with nature, brings you comfortable aesthetics with its non-staining surfaces, standard production at E0 value, anti-static and water resistant features.

AGT derives the raw material it uses in its production from sustainable managed and %100 recyclable trees and tree forms. AGT contributes to sustainable production by converting wood waste into electrical energy in its own Biomass Power Plant.

AGT Flooring Series are produced from high density tree fibers and thus reach a very strong form. Thanks to that technology, it offers high strength and scratch resistance, and has been used for years.

Greenguard certificate:

AGT Flooring Series has the Greenguard certificate, which contributes to the creation of healthier interiors. The Greenguard certificate is a certificate that shows that the chemical substances in the products used in indoor activities are within the limit values determined in terms of the efficiency of the indoor air.



COLORS



AGT -MALTA 1003



AGT -URAL 907



AGT -SOLARO 912



AGT -TALYA 508



AGT -NIDRA 929



AGT -MODERNA 228



AGT -PAMIR 906



AGT -MERIC 506



AGT -PRANA 928



AGT -MANTRA 930



AGT -ATLAS 913



AGT -SAMOA 916



AGT -PANAMA 918



AGT -PALMERO 504



AGT -MAPPA 1005



AGT -LABRADOR 922



AGT -FLORIDA 915



AGT -AZOR 920



AGT -NATURA OAK 204



AGT -ALARA OAK 205



AGT -CANYON OAK 201



AGT -ANTALYA PINE 022



AGT -SILYON OAK 206